

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** FIELDER BORON 15**Product code:** RL017AA/A/B/C/D**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet****Company name:** Fielder Ltd

The Paddocks

Longden

Shrewsbury

Shropshire

SY5 8EX

United Kingdom

Tel: 01743 860924**Fax:** 01743 860977**Email:** fielderag@farming.co.uk**1.4. Emergency telephone number****Emergency tel:** 01743 860924

(office hours only)

Section 2: Hazards identification**2.1. Classification of the substance or mixture****Classification under CLP:** Repr. 1B: H360FD**Most important adverse effects:** May damage fertility. May damage the unborn child.**2.2. Label elements****Label elements:****Hazard statements:** H360FD: May damage fertility. May damage the unborn child.**Hazard pictograms:** GHS08: Health hazard**Signal words:** Danger**Precautionary statements:** P201: Obtain special instructions before use.

P281: Use personal protective equipment as required.

P308+313: IF exposed or concerned: Get medical advice/attention.

SAFETY DATA SHEET

FIELDER BORON 15

Page: 2

2.3. Other hazards

Other hazards: Danger of serious damage to health by prolonged exposure.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

BORIC ACID - REACH registered number(s): 01-2119486683-25

EINECS	CAS	PBT / WEL	CLP Classification	Percent
233-139-2	10043-35-3	-	Repr. 1B: H360FD	50-70%

MONOETHANOLAMINE 90%

205-483-3	141-43-5	-	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314	10-30%
-----------	----------	---	---	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

[cont...]

SAFETY DATA SHEET

FIELDER BORON 15

Page: 3

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Evacuate the area immediately.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the neighbourhood to the presence of fumes or gas.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

[cont...]

SAFETY DATA SHEET

FIELDER BORON 15

Page: 4

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC12: Fertilisers.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

BORIC ACID

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	10	-	-	-

MONOETHANOLAMINE 90%

UK	2.5 mg/m ³	7.6 mg/m ³	-	-
----	-----------------------	-----------------------	---	---

DNEL/PNEC Values

Hazardous ingredients:

BORIC ACID

Type	Exposure	Value	Population	Effect
DNEL	Dermal	68.6	Workers	Systemic
DNEL	Inhalation	1.45	Workers	Systemic
DNEL	Oral	0.17	Consumers	Systemic
DNEL	Inhalation	0.97	Consumers	Systemic
DNEL	Dermal	34.3	Consumers	Systemic
PNEC	Fresh water	1.35	General Population	Systemic
PNEC	Marine water	1.35	General Population	Systemic
PNEC	Soil (agricultural)	5.4	General Population	Systemic
PNEC	Microorganisms in sewage treatment	1.75	General Population	Systemic

MONOETHANOLAMINE 90%

Type	Exposure	Value	Population	Effect
DNEL	Dermal (repeated dose)	1 mg/kg/day	Workers	Systemic
DNEL	Inhalation (repeated dose)	3.3 mg/m ³	Workers	Local
DNEL	Oral (repeated dose)	3.75 mg/kg/day	Consumers	Local

[cont...]

SAFETY DATA SHEET

FIELDER BORON 15

Page: 5

DNEL	Dermal (repeated dose)	0.24 mg/kg/day	Consumers	Systemic
DNEL	Inhalation (repeated dose)	2 mg/m ³	Consumers	Local
PNEC	Fresh water	0.085 mg/l	-	-
PNEC	Marine water	0.0085 mg/l	-	-
PNEC	Fresh water sediments	0.434 mg/l	-	-
PNEC	Marine sediments	0.0434 mg/l	-	-
PNEC	Soil (agricultural)	0.0367 mg/kg dry wei	-	-
PNEC	Microorganisms in sewage treatment	100 mg/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: The floor of the storage room must be impermeable to prevent the escape of liquids.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: No data available.

Boiling point/range°C: No data available.

Flammability limits %: lower: No data available.

Flash point°C: No data available.

Autoflammability°C: No data available.

Relative density: 1.32-1.36

VOC g/l: No data available.

Melting point/range°C: No data available.

upper: No data available.

Part.coeff. n-octanol/water: No data available.

Vapour pressure: No data available.

pH: 8.0-9.0

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

[cont...]

SAFETY DATA SHEET

FIELDER BORON 15

Page: 6

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

BORIC ACID

DERMAL	RBT	LD50	>2000	mg/kg
DUST/MIST	RAT	4H LC50	>2.03	mg/l
ORAL	RAT	LD50	>2000	mg/kg

MONOETHANOLAMINE 90%

IVN	RAT	LD50	225	mg/kg
ORL	MUS	LD50	700	mg/kg
ORL	RAT	LD50	1720	mg/kg
SCU	RAT	LD50	1500	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Reproductive toxicity	--	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

[cont...]

SAFETY DATA SHEET

FIELDER BORON 15

Page: 7

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

BORIC ACID

Daphnia magna	48H EC50	133	mg/l
FISH	96H LC50	79.7	mg/l
GREEN ALGA (<i>Selenastrum capricornutum</i>)	72H EC50	52.5	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of waste and residues in accordance with local authority requirements.

Recovery operations: Dispose of in compliance with all local and national requirements.

Disposal of packaging: Empty containers should be disposed of in accordance with local and national regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Classified and labelled in accordance with regulation 1999/45/EC, 1272/2008, the statutory instrument No.716 2009 Chemicals (Hazard Information and Packaging) regulations and the EC fertiliser Regulations 2003, Regulation (EC) No 1907/2006.

[cont...]

SAFETY DATA SHEET

FIELDER BORON 15

Page: 8

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H332: Harmful if inhaled.

H360FD: May damage fertility. May damage the unborn child.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.