

# fielder Copper 'C'

Contains 60 grammes per litre copper (5% w/w)

A liquid complexed chelated formulation of Copper purposely formulated with its own wetters and stickers for speedy uptake to correct copper deficiency or supplement copper uptake for maximum quality and yield.

## RECOMMENDATIONS FOR USE:

### RATES OF APPLICATION:

**Deficiency or severe stress:** - Apply 2.5 Litres/ha (1.75 pints/acre) once there is sufficient leaf area for uptake or as soon as symptoms appear. Repeat every 10-14 days where copper deficiency is severe.

**Maintenance:** Apply 1.25 Litres/ha (1 pint/acre) as soon as there is sufficient leaf area to absorb the spray.

## CROP RECOMMENDATIONS:

CROP:	TIMING:	RATE:
All Cereals	At start of tillering	1.25-2.5 Litres/ha
	Start of flowering to end of milky ripe	2.5 Litres/ha
Oil Seed Rape	Start of spring growth	1.25-2.5 Litres/ha
Potatoes	At tuber initiation	1.25-2.5 Litres/ha
	Repeat with blight fungicides	
Sugar Beet	4-6 true leaves	1.25-2.5 Litres/ha
Vegetables	4-6 true leaves	1.25-2.5 Litres/ha
Fruit	As required	1.25-2.5 Litres/ha
Top Fruit	At petal fall. Repeat every 14 days where severe deficiency	1.25 Litres/ha
Grassland	Onset of spring growth	1.25 Litres/ha

## WATER RATE:

Conventional Sprayer: - 220 Litres/ha (20 galls/acre)

Low Volume Sprayer: - 55 Litres/ha (5 galls/acre)

Fill sprayer as required and commence agitation. Shake the container and add the required amount of product. Continue agitation whilst spraying.

## TANK MIXING:

Fielder Copper 'C' is physically and chemically compatible with most pesticides. Check by mixing small amount in the correct ratio adding the product to the water followed by the pesticide. Crops can be susceptible to scorch from mixtures of copper and pesticides applied during periods of rapid growth or stress.

## PRECAUTIONS:

For the best results apply when crop is actively growing. Avoid spraying during very high temperatures and bright sunlight. Keep out of reach of children. Avoid contact with skin, eyes and clothing. Wash exposed area with water. Prevent livestock access to treated area for 14 days. Protect from frost.

## CONDITIONS OF SUPPLY:

All goods supplied by us are of a high quality and we believe them to be suitable, but as we cannot exercise control over their storage, handling, mixing or use or of the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

Contains: 10 Litres e



fielder

The Paddocks - Longden - Shrewsbury - Shropshire - SY5 8EX

Tel: 01743 860924 - Fax: 01743 860977

UN No. 3082