

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** FIELDER FEEDER N36**Product code:** RL201A/B/C**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet****Company name:** Fielder Ltd

The Paddocks

Longden

Shrewsbury

Shropshire

SY5 8EX

United Kingdom

Tel: 01743 860924**Fax:** 01743 860977**Email:** fielderag@farming.co.uk**1.4. Emergency telephone number****Emergency tel:** 01743 860924

(office hours only)

Section 2: Hazards identification**2.1. Classification of the substance or mixture****Classification under CLP:** Aquatic Chronic 3: H412; Eye Irrit. 2: H319**Most important adverse effects:** Causes serious eye irritation. Harmful to aquatic life with long lasting effects.**2.2. Label elements****Label elements:****Hazard statements:** H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark**Signal words:** Warning**Precautionary statements:** P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 2

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical attention.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

AMMONIUM NITRATE - REACH registered number(s): 01-2119490981-27

EINECS	CAS	PBT / WEL	CLP Classification	Percent
229-347-8	6484-52-2	-	Ox. Sol. 3: H272; Eye Irrit. 2: H319	10-30%

FERROUS SULPHATE HEPTAHYDRATE (WET)

231-753-5	7782-63-0	-	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%
-----------	-----------	---	---	-------

MANGANESE SULPHATE - REACH registered number(s): 01-2119456624-35

232-089-9	7785-87-7	-	STOT RE 2: H373; Aquatic Chronic 2: H411	1-10%
-----------	-----------	---	--	-------

SOLUBLE BORON 21% - REACH registered number(s): 01-2119490860-33

234-541-0	12280-03-4	-	Repr. 1B: H360FD	<1%
-----------	------------	---	------------------	-----

COPPER SULPHATE PENTAHYDRATE - REACH registered number(s): 01-2119520566-40

231-847-6	7758-99-8	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<1%
-----------	-----------	---	---	-----

ZINC SULPHATE HEXAHYDRATE - REACH registered number(s): 01-2119474684-27

231-793-3	13986-24-8	-	Acute Tox. 4: H302; Eye Dam. 1: H318; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<1%
-----------	------------	---	--	-----

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

[cont...]

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 3

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

[cont...]

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 4

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC12: Fertilisers.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

MANGANESE SULPHATE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	0.5 mg/m ³	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

MANGANESE SULPHATE

Type	Exposure	Value	Population	Effect
DNEL	Dermal	4.14ug/kg/day	Workers	Systemic
DNEL	Inhalation	0.2mg/m ³	Workers	Systemic
DNEL	Dermal	2.1ug/kg/day	Consumers	Systemic
DNEL	Inhalation	0.043mg/m ³	Consumers	Systemic
PNEC	Fresh water	0.0128mg/l	-	-
PNEC	Marine water	0.4ug/l	-	-
PNEC	Fresh water sediments	11.4ug/kg	-	-
PNEC	Marine sediments	1.4ug/kg	-	-
PNEC	Soil (agricultural)	25.1mg/kg	-	-
PNEC	Microorganisms in sewage treatment	56mg/l	-	-

ZINC SULPHATE HEXAHYDRATE

Type	Exposure	Value	Population	Effect
------	----------	-------	------------	--------

[cont...]

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 5

DNEL	Inhalation	1mg/m ³	Workers	Systemic
DNEL	Dermal	8.3mg/kg	Workers	Systemic
DNEL	Oral	0.83mg/kg	Consumers	Systemic
DNEL	Dermal	8.3mg/kg	Consumers	Systemic
PNEC	Fresh water	0.0206mg/l	-	-
PNEC	Marine water	0.0061mg/l	-	-
PNEC	Fresh water sediments	235.6mg/kg	-	-
PNEC	Marine sediments	113mg/kg	-	-
PNEC	Soil (agricultural)	106.8mg/kg	-	-
PNEC	Microorganisms in sewage treatment	0.0052mg/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Brown

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: No data available.

Boiling point/range°C: No data available.

Flammability limits %: lower: No data available.

Flash point°C: No data available.

Autoflammability°C: No data available.

Relative density: 1.24-1.30

VOC g/l: No data available.

Melting point/range°C: No data available.

upper: No data available.

Part.coeff. n-octanol/water: No data available.

Vapour pressure: No data available.

pH: 2.8-5.5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

[cont...]

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 6

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

AMMONIUM NITRATE

DUST/MIST	RAT	LD50	2950	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

FERROUS SULPHATE HEPTAHYDRATE (WET)

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	300-2000	mg/kg

MANGANESE SULPHATE

DUST/MIST	RAT	4H LC50	>4.45	mg/l
ORAL	RAT	LD50	2150	mg/kg

SOLUBLE BORON 21%

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

COPPER SULPHATE PENTAHYDRATE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	480	mg/kg

[cont...]

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 7

ZINC SULPHATE HEXAHYDRATE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>574	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

AMMONIUM NITRATE

ALGAE	96H LC50	1700	mg/l
FISH	48H LC50	447	mg/l

MANGANESE SULPHATE

ALGAE	72H ErC50	61	mg/l
Daphnia magna	48H EC50	9.8	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	14.5	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

[cont...]

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 8

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of waste and residues in accordance with local authority requirements.

Recovery operations: Dispose of in compliance with all local and national requirements.

Disposal of packaging: Empty containers should be disposed of in accordance with local and national regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Classified and labelled in accordance with regulation 1999/45/EC, 1272/2008, the statutory instrument No.716 2009 Chemicals (Hazard Information and Packaging) regulations and the EC fertiliser Regulations 2003, Regulation (EC) No 1907/2006.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H272: May intensify fire; oxidiser.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H360FD: May damage fertility. May damage the unborn child.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

[cont...]

SAFETY DATA SHEET

FIELDER FEEDER N36

Page: 9

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.