

# *fielder*

# Feeder NPK - 14.5-5-7

A foliar fertiliser purposely formulated for quick and efficient uptake of nutrients directly through the leaf. Fielder Feeder N P K provides a nutrient supply in adequate quantities to maintain healthy vigorous plant growth. Fielder Feeder N P K may also be used to encourage plants to recover from stress.

### Analysis (w/v) :

Total Nitrogen (N) 14.5% (all Ureic-N)	Manganese (Mn) 0.06%	Iron (Fe) 0.13%
Phosphorus Pentoxide (P2O5) 5.0% (2.1% as P)	Copper (Cu) 0.06%	Molybdenum (Mo) 0.004%
Potassium Oxide (K2O) 7.0% (5.75% as K)	Zinc (Zn) 0.06%	
Magnesium Oxide (MgO) 0.2% (0.12% as Mg)	Boron (B) 0.03%	

## RECOMMENDATIONS FOR USE:

RATES OF USE: Apply 2.5 to 5.0 Litres per Ha every 10 - 14 days once there is sufficient leaf are for foliar uptake. The higher rate should be used during periods of vigorous growth or severe stress.

## CROPS

Cereals, Sugar Beet, Oilseed Rape, Potatoes, Peas, Beans, Fodder Beet, Mangolds, Kale, Cabbage, Cauliflower, Sprouts, Carrots, Parsnips, Radish, Spinach, Lettuce, Celery, Onions, Apples, Gooseberries, Pears, Plums, Cherries, Raspberries, Strawberries, Vines, Hops, Nursery Stock and most other crops.

## WATER RATE:

Conventional sprayer: 220 Litres / ha (20 galls/acre)

Low Volume sprayer: 55 Litres / ha (5 galls/acre)

Fill the sprayer as required and commence agitation. Shake the container and add the required amount of product. Continue agitation whilst spraying.

## TANK MIXING:

Fielder Feeder N P K is physically and chemically compatible with most pesticides. Check by mixing a small amount in the correct ratio adding the product to the water followed by pesticide. Crops can be susceptible to scorch from mixtures of Feeder N P K and pesticides applied during periods of rapid growth or stress. Do not mix with hormone weedkillers or products containing benazolin.

## PRECAUTIONS:

Avoid spraying during high temperatures and bright sunlight. Keep out of reach of children. Avoid contact with skin, eyes or clothing. Wash exposed area with water. Prevent livestock access to treated area for 14 days.

## CONDITIONS OF SUPPLY:

All goods supplied by us are of a high quality and we believe them to be suitable, but as we cannot exercise control over their storage, handling, mixing or use or of the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

RL024A

# *fielder*

The Paddocks - Longden - Shrewsbury - Shropshire - SY5 8EX  
Tel: 01743 860924 - Fax: 01743 860977  
E-mail: fielderag@farming.co.uk

## Contents: 10 Litres e