

fielder

Analysis (w/w): Manganese (Mn) 10.7% w/w (15.0% w/v)
Magnesium Oxide (MgO) 1.5 w/w (2.1% w/v)
Sulphur Trioxide (SO₃) 16.6% w/w (23.2% w/v)

HUMIC (Mn-Mg Humate)

A highly active, inorganic formulation of manganese, including humic acid and an organic surfactant wetting system which considerably enhances the uptake of the active ingredients. Use for the prevention and correction of nutrient deficiencies.

Recommendations for use:

SHAKE WELL BEFORE USE.
Apply 1.25 - 4.00 l/ha, according to crop requirements.
To be used only where there is a recognised need. Do not exceed recommended application rate.

Water Rates

Conventional sprayer : 220 l/ha
Low volume sprayer : 70 l/ha

Crop recommendations:

CROP	TIMING	RATE
Cereals	Start of spring growth	1.25 - 4.0 l/ha
Oil Seed Rape	4-6 true leaves	1.25 - 4.0 l/ha
Potatoes	Tuber initiation	1.25 - 4.0 l/ha
Sugar Beet	4-6 true leaves	1.25 - 4.0 l/ha
Vegetables	When sufficient leaf area	1.25 - 4.0 l/ha
Top Fruit	At petal fall	1.25 - 4.0 l/ha*

*Repeat after 14 days

Tank Mixing:

Fielder HUMIC Mn-Mg is physically and chemically compatible with most pesticides. Check by mixing small amount in the correct ratio adding the product to the water followed by pesticide. Crops can be susceptible to scorch from mixtures of manganese and pesticides applied during periods of stress. Do not mix with MCPA, CMPP or products containing Dicamba.

CONDITIONS OF SUPPLY:

All goods supplied by us are of a high quality and we believe them to be suitable, but as we cannot exercise control over their storage, mixing or use, all conditions & warranties, statutory or otherwise as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use.

Contains: 10 Le

RL364B

UN3082 -
Environmentally Hazardous
Substance, Liquid, NOS
(Manganese Sulphate)

fielder

THE PADDOCKS
LONGDEN
SHREWSBURY
SHROPSHIRE
SY5 8EX
Tel: 01743 860924

Precautions:

Harmful if swallowed.

Danger of serious damage to health by prolonged exposure if swallowed.
Toxic to aquatic organisms & may cause long term adverse effects in the aquatic environment.

Wear suitable protective clothing, gloves & eye/face protection
In case of accident or if you feel unwell seek medical advice immediately
(show the label where possible)

Use appropriate containment to avoid environmental contamination
DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.
KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

PROTECT FROM FROST.
WASH OUT CONTAINER THOROUGHLY and dispose of safely.
DO NOT RE-USE CONTAINER for any purpose.



HARMFUL



DANGEROUS For The ENVIRONMENT