

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name:** FIELDER HUMIC LIQUID

**Product code:** RL364B

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

**Company name:** Fielder Ltd

The Paddocks

Longden

Shrewsbury

Shropshire

SY5 8EX

United Kingdom

**Tel:** 01743 860924

**Fax:** 01743 860977

**Email:** fielderag@farming.co.uk

**1.4. Emergency telephone number**

**Emergency tel:** 01743 860924

(office hours only)

**Section 2: Hazards identification****2.1. Classification of the substance or mixture**

**Classification under CLP:** Aquatic Chronic 2: H411; STOT RE 2: H373

**Most important adverse effects:** May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

**2.2. Label elements****Label elements:**

**Hazard statements:** H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

**Hazard pictograms:** GHS08: Health hazard

GHS09: Environmental



# SAFETY DATA SHEET

## FIELDER HUMIC LIQUID

Page: 2

**Signal words:** Warning

**Precautionary statements:** P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P314: Get medical advice/attention if you feel unwell.

P391: Collect spillage.

P501: Dispose of contents/container to hazardous or special waste collection point.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

MANGANESE SULPHATE - REACH registered number(s): 01-2119456624-35

EINECS	CAS	PBT / WEL	CLP Classification	Percent
232-089-9	7785-87-7	-	STOT RE 2: H373; Aquatic Chronic 2: H411	30-50%

MONOETHYLENE GLYCOL

203-473-3	107-21-1	-	Acute Tox. 4: H302	1-10%
-----------	----------	---	--------------------	-------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

[cont...]

# SAFETY DATA SHEET

## FIELDER HUMIC LIQUID

Page: 3

**Eye contact:** There may be severe pain. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Toxic. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Notify the police and fire brigade immediately. Evacuate the area immediately. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of SDS for personal protection details.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the neighbourhood to the presence of fumes or gas.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

[cont...]

# SAFETY DATA SHEET

## FIELDER HUMIC LIQUID

Page: 4

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is exhaust ventilation of the area.  
Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

#### MANGANESE SULPHATE

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	0.5 mg/m <sup>3</sup>	-	-	-

#### MONOETHYLENE GLYCOL

UK	52 mg/m <sup>3</sup> (vapour)	104 mg/m <sup>3</sup> (vapour)	-	-
----	-------------------------------	--------------------------------	---	---

### DNEL/PNEC Values

**Hazardous ingredients:**

#### MANGANESE SULPHATE

Type	Exposure	Value	Population	Effect
DNEL	Dermal	4.14ug/kg/day	Workers	Systemic
DNEL	Inhalation	0.2mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	2.1ug/kg/day	Consumers	Systemic
DNEL	Inhalation	0.043mg/m <sup>3</sup>	Consumers	Systemic
PNEC	Fresh water	0.0128mg/l	-	-
PNEC	Marine water	0.4ug/l	-	-

[cont...]

# SAFETY DATA SHEET

## FIELDER HUMIC LIQUID

Page: 5

PNEC	Fresh water sediments	11.4ug/kg	-	-
PNEC	Marine sediments	1.4ug/kg	-	-
PNEC	Soil (agricultural)	25.1mg/kg	-	-
PNEC	Microorganisms in sewage treatment	56mg/l	-	-

### 8.2. Exposure controls

**Engineering measures:** Ensure there is exhaust ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Impermeable gloves.

**Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

**Environmental:** The floor of the storage room must be impermeable to prevent the escape of liquids.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Brown

**Evaporation rate:** No data available.

**Oxidising:** No data available.

**Solubility in water:** No data available.

**Viscosity:** No data available.

**Boiling point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

**Flash point°C:** No data available.

**Autoflammability°C:** No data available.

**Relative density:** 1.39-1.43

**VOC g/l:** No data available.

**Melting point/range°C:** No data available.

**upper:** No data available.

**Part.coeff. n-octanol/water:** No data available.

**Vapour pressure:** No data available.

**pH:** 5.0-6.0

#### 9.2. Other information

**Other information:** No data available.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

[cont...]

# SAFETY DATA SHEET

FIELDER HUMIC LIQUID

Page: 6

## 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Hot surfaces. Flames.

## 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

##### MANGANESE SULPHATE

DUST/MIST	RAT	4H LC50	>4.45	mg/l
ORAL	RAT	LD50	2150	mg/kg

##### MONOETHYLENE GLYCOL

IVN	RAT	LD50	3260	mg/kg
ORL	MUS	LD50	5500	mg/kg
ORL	RAT	LD50	4700	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
STOT-repeated exposure	-	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

**Eye contact:** There may be severe pain. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

[cont...]

# SAFETY DATA SHEET

FIELDER HUMIC LIQUID

Page: 7

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

#### MANGANESE SULPHATE

ALGAE	72H ErC50	61	mg/l
Daphnia magna	48H EC50	9.8	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	14.5	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Dispose of in compliance with all local and national requirements.

**Disposal of packaging:** Empty containers should be taken care of as hazardous waste according to local and national provisions.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN3082

### 14.2. UN proper shipping name

**Shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

[cont...]

# SAFETY DATA SHEET

FIELDER HUMIC LIQUID

Page: 8

## 14.3. Transport hazard class(es)

Transport class: 9

## 14.4. Packing group

Packing group: III

## 14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H373: May cause damage to organs ({{{0}}|message=<or state all organs affected, if known>||filter=(\_)?ORGAN\_+}}}) through prolonged or repeated exposure ({{{1}}|message=<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>||filter=(\_)?EXP\_ROUTE\_+}}}).

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.