

# fielder

# Manganese + Copper DF

An inorganic powder formulation of manganese and copper, plus sulphur, purposely formulated to encourage rapid leaf uptake and maximum plant availability.

**Contains (w/w) : 28% Manganese (Mn), 3% Copper (Cu), 42% Sulphur Trioxide (SO3)**

## Recommendations for use:

Maintenance: Apply 2.5 kg/ha (1 kg/acre) as soon as there is sufficient leaf area to absorb the spray.

Deficiency or severe stress: Apply 5.0 kg/ha (2 kg/acre) as soon as there is sufficient leaf area or as soon as symptoms appear. Repeat every 14 days if required.

## Crop Recommendations:

CROP:	TIMING:
Cereals	At start of tillering
Oil Seed Rape	Start of spring growth
Potatoes	When rows meet
Sugar Beet	4 - 6 true leaves
Vegetables	4 - 6 true leaves
Top Fruit	At petal fall. Repeat every 14 days Onset of spring growth

## WATER RATE:

Conventional sprayer : 220 litres/ha (20 galls/acre)  
Low volume sprayer : 55 litres/ha (5 galls/acre)

## APPLICATION PRECAUTIONS:

Avoid spraying during high temperatures and bright sunlight. Keep out of reach of children. Avoid contact with skin, eyes or clothing. Wash exposed area with water. Prevent livestock access to treated area for 14 days.

UN No. 3077: Environmentally Hazardous Substance. Solid. NOS



## Tank Mixing:

Fielder Manganese + Copper DF is physically and chemically compatible with most pesticides. Check by mixing small amount in the correct ratio adding the product to the water followed by pesticide. Crops can be susceptible to scorch from mixtures of manganese and pesticides applied during periods of stress. Do not mix with MCPA, CMPP or products containing benazolin.

## Conditions of Supply:

All goods supplied by us are of a high quality and we believe them to be suitable, but as we cannot exercise control over their storage, handling, mixing or use or of the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

## Safety Precautions:

**Harmful if swallowed.**

**Danger of serious damage to health by prolonged exposure if swallowed.  
Toxic to aquatic organisms & may cause long term adverse effects in the aquatic environment.**

Wear suitable protective clothing, gloves & eye/face protection  
In case of accident or if you feel unwell seek medical advice immediately  
(show the label where possible)

Use appropriate containment to avoid environmental contamination

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.

KEEP IN ORIGINAL BAG, in a safe place.  
PROTECT FROM FROST.

## Contains 10 Kg e

R027A



## HARMFUL



## DANGEROUS For The ENVIRONMENT