

# fielder

# Nutribooster

9-9-7.5 + Fe, B, CU, Mn, Mo, Zn

A balanced NPK foliar fertiliser plus a full range of chelated micronutrients.

Fielder Nutribooster is purposely formulated with stickers, surfactants and humates to ensure maximum plant uptake and prevention or elimination of nutrient deficiencies in a wide range of crops. Fielder Nutribooster may also be used to improve leaf colour and shine of ornamentals and as a nutrientsource in hydroponic systems.

## Analysis (w/v):

**Nitrogen (N) 9.0%**

**(as Ureic-N) 9.0%**

**Phosphorus Pentoxide (P2O5) 9.1%**

**(as P) 4.0%**

**Potassium Oxide (K2O) 7.5%**

**(as K) 6.2%**

**Boron (B) 0.013%**

**Copper (Cu) (chelated by EDTA) 0.009%**

**Iron (Fe) (chelated by EDTA) 0.011%**

**Manganese (Mn) (chelated by EDTA) 0.016%**

**Molybdenum (Mo) 0.001%**

**Zinc (Zn) (chelated by EDTA) 0.008%**

## CROP RECOMMENDATIONS:

Cereals/Sugar Beet/Oilseed Rape/Potatoes - Apply 3L in 200L water/ha . Repeat application every 14-21 days.

Peas/Beans: Apply 5L in 200L water/ha. One flowering, repeat after flowering with 3 applications once every 14 days.

Brassicas/Lettuce: Apply solution of 1L in 1000L water/ha up to 4 times at 10 day intervals; use enough spray to just wet leaves.

Carrots: Apply 5L in 200L water/ha. up to 4 times at 14 day intervals.

Fruit Crops/Hops: Apply 4L in min 200L water/ha every 2-3 weeks. Double application rate if deficiency symptoms apparent.

Glasshouse Vegetables: Apply 4L in 100L water to point of runoff. Apply twice at 14 day intervals.

Maize & Sweetcorn: Apply 4L in min 200L water/ha up to 4 times at 14 day intervals once plants are 25 cm tall.

Marrows & Courgettes: Apply 4L in min 200L water/ha up to 4 times at 14 day intervals once third true leaf fully expanded.

Onions & Leeks: Apply 4L in min 200L water/ha up to 4 times at 14 day intervals once plants are 20 cm tall.]

Ornamentals: Young Plants, apply 500ml in 1L water every 7 days. Mature Pot Plants/Pot Flowers/Nursery Stock - Apply 4L in 1000L water every 7 days. Can be applied through atomisers.

Seedlings: To aid establishment apply 0.5-1L in 1000L to point of runoff Repeat 4 days later.

Vines: Apply 3L in 1000L wate once fully expanded. Repeat every 14-21 days.

Hydroponic Crops: For young plants a 0.05% solution should be made up. This can be increased to 0.2% as crop developes.

## TANK MIXING:

Fielder Nutribooster is physically and chemically compatible with most pesticides. Check by mixing small amount in the correct ratio adding the product to the water followed by pesticide. Crops can be susceptible to scorch from mixtures of Nutribooster and pesticides applied during periods of rapid growth or stress. Do not mix with hormone weedkillers or products containing benzazolin.

## PRECAUTIONS:

For the best results apply when crop actively growing. Avoid spraying during very high temperatures & bright sunlight. Keep out of reach of children. Avoid contact with skin, eyes and clothing. Wash exposed area with water. Prevent livestock access to treated area for 14 days. Protect from frost.

## CONDITIONS OF SUPPLY:

All goods supplied by us are of a high quality and we believe them to be suitable, but as we cannot exercise control over their storage, handling, mixing or use or of the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

# Contents: 10 Litres e

# fielder

The Paddocks - Longden - Shrewsbury - Shropshire - SY5 8EX

Tel: 01743 860924 - Fax: 01743 860977

RL117A