

# fielder

# Super Man

Contains:  
10 Litres e

Contains: 230 grammes per litre Mn (23%) - 120 grammes per litre N (12%)

An inorganic liquid formulation of manganese purposely formulated to encourage speedy leaf uptake and maximum plant availability.

## Recommendations for use:

### RATES OF APPLICATION:

Deficiency or severe stress:

Apply 2.5 Litres/ha (1.75 pints/acre) as soon as there is sufficient leaf area or as soon as symptoms appear. Repeat every 14 days if required.

Maintenance:

Apply 1.5 litres/ha (1 pint/acre) as soon as there is sufficient leaf area to absorb the spray.

## Crop Recommendations:

### CROP

Winter Cereals  
Winter/Spring Cereals  
Oil Seed Rape  
Potatoes

### TIMING

Autumn  
Spring  
Autumn/Spring  
When rows meet  
Every 7-10 days after  
100% on Emergence  
4-6 true leaves  
Repeat every three weeks  
Immediately before flowering  
4-6 true leaves  
After petal fall

### RATE

1.5 Litres / ha  
1.5-2.5 Litres / ha  
1.5 Litres / ha  
2.5 Litres / ha  
1.5 Litres / ha  
2.5 Litres / ha  
2.5 Litres / ha  
1.5-2.5 Litres / ha  
2.5 Litres / ha

Sugar Beet

Peas & Beans  
Vegetables (Carrots, Lettuce, Brassicas,  
Parsnip, Radish, Spinach)  
Soft Fruit / Top Fruit

## Water Rate:

Conventional sprayer: 220 l/ha

Low Volume Sprayer: 55 l/ha

Fill the sprayer as required and commence agitation. Shake the container and add the required amount of product. Continue agitation whilst spraying.

## Tank Mixing:

Super Man is physically and chemically compatible with most pesticides. Check by mixing a small amount in the correct ratio adding the product to the water, follow by the pesticide. Crops can be susceptible to scorch from mixtures of Super Man and pesticides applied during periods of rapid growth or stress.

RL147B

## Precautions

Contact with combustible material may cause fire. For the best results apply when crop is actively growing. Avoid spraying during high temperatures and bright sunlight. Keep out of reach of children. Avoid contact with skin, eyes or clothing. Wash exposed area with water. Prevent livestock access to treated area for 14 days. Protect from frost.

## Conditions Of Supply:

All goods supplied by us are of a high quality and we believe them to be suitable, but as we cannot exercise control over their storage, handling, mixing or use or of the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

UN No. 2724 - Manganese Nitrate



**OXIDISING**



**OXIDISING**