

fielder

Zinc 70%

Fielder Zinc 70% is a flowable zinc suspension formulated to combine maximum elemental content with a high degree of leaf persistence and extensive tank-mix compatibility.

Contains : 70.0% w/v Zinc (Zn)

Recommendations for use:

Deficiency or severe stress -

Apply 2 l/ha (1.50 pints/acre) as soon as there is sufficient leaf area or as soon as symptoms appear. Repeat every 14 days if required.

Maintenance -

Apply 1 l/ha (0.75 pints/acre) as soon as there is sufficient leaf area or as soon as symptoms appear. Repeat every 14 days if required.

Crop Recommendations:

For specific crop recommendations, please consult your supplier.

Conditions of Supply:

All goods supplied by us are of a high quality and we believe them to be suitable, but as we cannot exercise control over their storage, handling, mixing or use or of the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

WATER RATE

Conventional sprayer : 220 litres/ha (20 galls/acre)

Low volume sprayer : 55 litres/ha (5 galls/acre)

TANK MIXING

Fielder Zinc 70% is physically and chemically compatible with most pesticides. Check by mixing small amount in the correct ratio adding the product to the water followed by pesticide. Crops can be susceptible to scorch from mixtures of manganese and pesticides applied during periods of stress. Do not mix with MCPA, CMPP or products containing benazolin.

RFIEZLN70A

Contains 5 Litres e

fielder

The Paddocks,
Longden,
Shrewsbury,
Shropshire
Tel : 01743 860924
Fax : 01743 860977

PRECAUTIONS

Irritating to eyes and skin.

In case of contact with eyes, rinse immediately with plenty of water (for at least 10 minutes) and seek medical advice.

Wear suitable protective clothing, gloves & eye/face protection

In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

PROTECT FROM FROST.

WASH OUT CONTAINER THOROUGHLY and dispose of safely.

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container
DO NOT RE-USE CONTAINER for any purpose.

Avoid spraying during high temperatures and bright sunlight. Keep out of reach of children. Wash exposed area with water. Prevent livestock access to treated area for 14 days.



IRRITANT



IRRITANT